

Collections: Manly





























Modern, round capsule single plinth litter bin for undercover. 360° panel design in hardwood colors or cut-out designs powder-coat finishes.

Description

The contemporary, cylindrical design of the Manly capsule single plinth litter bin creates a minimalist aesthetic that complements the curves of modern public spaces, indoors or out. Finishes include Australian Eucalyptus hardwood battens, powder-coated steel using cut-out designs or plain colors. Manly is a versatile, eye-catching addition to public spaces that need to stand the test of time.

Sustainability

Certified Hardwood

Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.

Recycled Materials

We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit Volatile Organic Compounds (VOCs) and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.

Powder Coat

Core

Signature

Bold

Dimensions

Hardwood + Plain Panel

ø26" x 30"H

(ø650mm x 755mmH)

Perforated Panel ø26" x 31"H

(ø650mm x 775mmH)

Capacity

20 gal (80L)

Batten Type

Hardwood: Australian Eucalyptus

Frame

Powder-coated steel



Weight Hardwood

117lbs (53kg)

Plain Panel 115lbs (52kg)

Perforated Panel 121lbs (54.7kg)

Signage Vinyl decal signage for the flat lid on request.

Made In USA

Lead Time 6-8 weeks

Assembly & Delivery Shipped fully assembled on pallets.

Fixing Detail Freestanding or surface fixed by others.

Anchors not included.

Care Instructions <u>Hardwood</u>

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

Warranty	5-year warranty. View the <u>warranty</u> for more details.
Additional Comments	Panel designs available in hardwood battens or powder-coated steel in plain or perforated cut-out designs.
	Hardwood is treated with a UV-resistant oil finish in a light or dark tone.
	Compression lock prevents door rattling.
How to Specify	Select your size - single Select your capacity - 20 gal (80L) Select your lid and plinth color Select your panel design and finish Select your signage type Select your fixing type

Colour & Finish Options

B+G USA Hardwood







Australian Eucalyptus Light Oil

B+G USA Powdercoats

