

# B+G SORRENTO LOW STOOL

Seating » Stools



Collection: **Sorrento**

# B+G SORRENTO LOW STOOL

Seating » Stools



Hardwood Australian  
Eucalyptus Light Oil



Hardwood Australian  
Eucalyptus Dark Oil



Duraslat™ Plateau



Duraslat™ Summit



Duraslat™ Canyon



Duraslat™ Outback



Core Powder-Coat  
Coreten Textured



Core Powder-Coat  
Charcoal Satin



Core Powder-Coat  
Silver Pearl Satin  
Metallic




Core Powder-Coat  
Black Satin




Core Powder-Coat  
White Satin




Core Powder-Coat  
Bronze Satin Metallic



Signature Powder-  
Coat Deep Ocean  
Satin




Signature Powder-  
Coat Wedgewood  
Satin



Signature Powder-  
Coat Mangrove Satin



Signature Powder-  
Coat Territory Red  
Matt



Signature Powder-  
Coat Claypot Satin



Signature Powder-  
Coat Paperbark Satin



Bold Powder-Coat  
Sky Blue Satin



Bold Powder-Coat  
Yellow Green Satin



Bold Powder-Coat  
Pure Orange Satin



Bold Powder-Coat  
Carmine Red Satin




Bold Powder-Coat  
Zinc Yellow Satin



# B+G SORRENTO LOW STOOL

Seating » Stools

---



# B+G SORRENTO LOW STOOL

Seating » Stools

Modern low stool design with contrasting finishes. Battens available in 2 hardwood or 4 Duraslat™ colors and a steel post in 17 powder-coat finishes.

Description	Inspired by the Italian love of modern design, the Sorrento low stool is as much at home in the public spaces of Chicago as it is on boardwalks of the Mediterranean. The contrasting finishes featured on the low stool combine to create public spaces that draw the eye and challenge the status quo. Finishes include battens in 2 Australian Eucalyptus hardwood or 4 Duraslat™ colors that are supported by a steel post in 17 powder-coat finishes.
Made In	USA
Dimensions	Hardwood 14"W x 11"D x 18"H (350mmW x 290mmD x 450mmH)  Duraslat™ 14"W x 11"D x 17"H (350mmW x 290mmD x 440mmH)
Weight	Hardwood 16lbs (7kg)  Duraslat™ 14lbs (6kg)
Batten Type	Hardwood Australian Eucalyptus  Duraslat™ Plateau, Summit, Canyon, Outback
Frame	Powder-coated steel
Powder Coat	Core Coreten (textured), Charcoal (satin), Silver Pearl (satin metallic), Black (satin), White (satin), Bronze (satin metallic)  Signature Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red (matt), Claypot (satin), Paperbark (satin)  Bold Sky Blue (satin), Yellow Green (satin), Pure Orange (satin), Carmine Red (satin), Zinc Yellow (satin)

# B+G SORRENTO LOW STOOL

Seating » Stools

---

## Sustainability

### Certified Hardwood

Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.

### Material Alternatives

We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that is based on a renewable mineral.

### Recycled Materials

We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

### Low Pollutants

Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.

---

## Warranty

5-year warranty. View the [warranty](#) for more details.

---

## Lead Time

6-8 weeks

---

## Assembly & Delivery

Shipped fully assembled on pallets.

---

## Fixing Detail

Surface fixed by others. Anchors not included.

---

## How to Specify

Select your batten finish  
Select your frame finish

---

# B+G SORRENTO LOW STOOL

Seating » Stools

---

## Care Instructions

### Hardwood

#### Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

#### Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

### Duraslat™

#### Cleaning

Clean with mild soap and water and use a soft brush to remove any dirt build-up.

### Powder-Coat

#### Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

---

## Additional Comments

Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

---