Seating » Seats



Collections: Urban





























Seating » Seats

Timeless, classic seat design. Batten top in hardwood or Duraslat™ supported by an elegant cast aluminum frame in powder-coat finishes.

Description

Referencing Paris's famous wrought ironwork, curved cast aluminum framing is complemented by muscular hardwood or Duraslat™ surfaces to offer a timeless Urban classic seat. Finishes include hardwood or Duraslat™ and powder-coat finishes or a natural aluminum finish. Urban is close to our heart; a classic, elegant, and highly functional collection that works in almost any public space.

Optional aluminum Skate Stopper available in your choice of powdercoat finishes (additional cost). Suitable for Duraslat™ batten options only.

Sustainability

Certified Hardwood

Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.

Material Alternatives

We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that is based on a renewable mineral.

Recycled Materials

We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.

Powder Coat

Core

Signature

Bold

Seating » Seats

Dimensions Hardwood

24"W x 22"D x 30"H

(600mmW x 560mmD x 770mmH)

Duraslat™

 $24"W \times 23"D \times 31"H$

(600mmW x 575mmD x 780mmH)

Hardwood

71"W x 22"D x 30"H

(1800mmW x 560mmD x 770mmH)

Duraslat™

 $71"W \times 23"D \times 31"H$

(1800mmW x 575mmD x 780mmH)

Hardwood

83"W x 22"D x 31"H

(2100mmW x 565mmD x 775mmH)

Duraslat™

83"W x 23"D x 31"H

(2100mmW x 575mmD x 780mmH)

Seat height: 17" (435mm)

Batten Type Hardwood

Duraslat™

Frame Cast aluminum in a powder-coat or natural aluminum finish

Weight Hardwood

24"W

38lbs (17kg)

71′′W

92lbs (42kg)

83"W

125lbs (57kg)

Duraslat™

24"W

32lbs (14kg)

71′′W

93lbs (42kg)

83"W

103lbs (47kg)

Made In USA

Seating » Seats

Lead Time 6-8 weeks

Assembly & Delivery Shipped fully assembled on pallets.

Fixing Detail Urban range fixed mounting options:

Threaded rod

Threaded rod + shims

Offset tab

Urban range freestanding options:

Loose footpad Loose alides

Care Instructions

Hardwood

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Duraslat™

Cleaning

Clean with mild soap and water and use a soft brush to remove any dirt build-up.

Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

Warranty

5-year warranty. View the warranty for more details.

Additional Comments

Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

Seating » Seats

How to Specify Sel

Select your length Select your batten finish Select your frame finish Select your fixing type

Seating » Seats

Colour & Finish Options

B+G USA Hardwood







Australian Eucalyptus Light Oil

B+G USA Duraslat



Canyon



Outback



Plateau



Summit

B+G USA Powdercoats



Black



Bronze



Carmine Red



Charcoal



Claypot



Core Ten



Deep Ocean



Mangrove



Paper Bark



Pure Orange

