

# B+G VERGE BENCH

Seating » Benches



Collection: **Verge**

# B+G VERGE BENCH

Seating » Benches



Hardwood Australian Eucalyptus Light Oil



Hardwood Australian Eucalyptus Dark Oil



Duraslat™ Plateau




Duraslat™ Summit



Duraslat™ Canyon



Duraslat™ Outback



Core Powder-Coat Charcoal Satin



Core Powder-Coat Coreten Textured



Core Powder-Coat Silver Pearl Satin Metallic



Core Powder-Coat Black Satin



Core Powder-Coat White Satin



Core Powder-Coat Bronze Satin Metallic



Signature Powder-Coat Deep Ocean Satin



Signature Powder-Coat Wedgewood Satin



Signature Powder-Coat Mangrove Satin



Signature Powder-Coat Territory Red Matt



Signature Powder-Coat Claypot Satin




Signature Powder-Coat Paperbark Satin



Bold Powder-Coat Sky Blue Satin



Bold Powder-Coat Yellow Green Satin



Bold Powder-Coat Pure Orange Satin



Bold Powder-Coat Carmine Red Satin



Bold Powder-Coat Zinc Yellow Satin



# B+G VERGE BENCH

Seating » Benches

---



# B+G VERGE BENCH

Seating » Benches

---

Simple, durable bench design. Batten top in 2 hardwood or 4 Duraslat colors with steel posts and base plates in 17 powder-coat or galvanized finishes.

---

**Description** The Verge bench is simple in design and highly durable. Hardwood or Duraslat™ battens work with cylindrical steel posts and circular base plates to add a functional and utilitarian feel to spaces you know are going to get their fair share of wear and tear. Finishes include 2 Australian Eucalyptus hardwood or 4 Duraslat™ colors and 17 powder-coat finishes or a galvanized finish.

---

**Sustainability**

**Certified Hardwood**  
Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.

**Material Alternatives**  
We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that is based on a renewable mineral.

**Recycled Materials**  
We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

**Low Pollutants**  
Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.

---

**Powder Coat**

**Core**  
Coreten (textured), Charcoal (satin), Silver Pearl (satin metallic), Black (satin), White (satin), Bronze (satin metallic)

**Signature**  
Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red (matt), Claypot (satin), Paperbark (satin)

**Bold**  
Sky Blue (satin), Yellow Green (satin), Pure Orange (satin), Carmine Red (satin), Zinc Yellow (satin)

---

# B+G VERGE BENCH

Seating » Benches

---

Dimensions	Hardwood
	71"W x 17"D x 18"H (1800mmW x 430mmD x 455mmH)
	Duraslat™
	71"W x 17"D x 18"H (1800mmW x 430mmD x 450mmH)
Hardwood	83"W x 17"D x 18"H (2100mmW x 430mmD x 455mmH)
	Duraslat™
83"W x 17"D x 18"H (2100mmW x 430mmD x 450mmH)	

---

Batten Type	Hardwood
	Australian Eucalyptus
Duraslat™	Plateau, Summit, Canyon, Outback

---

Frame	Powder-coated steel or galvanized steel
-------	---

---

Weight	Hardwood
	71"W
	66lbs (30kg)
	83"W
	74.8lbs (34kg)
	Duraslat™
71"W	
66lbs (30kg)	
83"W	
77lbs (35kg)	

---

Made In	USA
---------	-----

---

Lead Time	6-8 weeks
-----------	-----------

---

Assembly & Delivery	Shipped fully assembled on pallets.
---------------------	-------------------------------------

---

Fixing Detail	Post fixed by others - surface fixed. Anchors not included.
---------------	--

---

# B+G VERGE BENCH

Seating » Benches

---

## Care Instructions

### Hardwood

#### Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

#### Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

### Duraslat™

#### Cleaning

Clean with mild soap and water and use a soft brush to remove any dirt build-up.

### Powder-Coat

#### Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

---

## Warranty

5-year warranty. View the [warranty](#) for more details.

---

## Additional Comments

Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

---

## How to Specify

Select your length  
Select your batten finish  
Select your frame finish  
Select your fixing type

---