
Seating » Seats



Collections: Avenue

Seating » Seats















Seating » Seats

Minimalist platform seating with half a back. Hardwood or Duraslat™ batten colors. Tapered steel frame in powder-coat or galvanized finishes.

Description

Rectangular battens and a tapered steel frame combine to deliver a minimalist seating design that takes its cues from 20th century industrial design. The functional feel and light appearance of the Avenue platform seat complement and sits within most public spaces. Finishes include hardwood or Duraslat™ colors and powder-coat finishes or a galvanized finish.

Optional aluminum Skate Stopper available in your choice of powdercoat finishes (additional cost). Suitable for both Duraslat™ and hardwood batten options.

Sustainability

Certified Hardwood

Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.

Material Alternatives

We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that is based on a renewable mineral.

Recycled Materials

We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.

Powder Coat

Core

Signature

Bold

Dimensions

95" W x 23"D x 33"H

(2400mmW x 580mmD x 830mmH)

Seat height: 18" (460mm)

Batten Type

Hardwood

Duraslat™

Seating » Seats

Frame	Powder-coated or galvanized steel
Weight	Hardwood 95"W 178lbs (81kg)
	Duraslat™ 95″W 147lbs (67kg)
Made In	USA
Lead Time	6-8 weeks
Assembly & Delivery	Shipped fully assembled on pallets.
Fixing Detail	Surface or sub-surface fixed by others. Anchors not included. Shims available for sub-surface fixing on request.

Seating » Seats

Care Instructions <u>Hardwood</u>

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Duraslat™

Cleaning

Clean with mild soap and water and use a soft brush to remove any dirt build-up.

Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

Warranty 5-year warranty. View the <u>warranty</u> for more details.

Additional Comments

Hardwood is treated with a UV-resistant oil finish in a light or dark tone.

How to Specify Select your batten colour

Select your frame finish Select your fixing type

Seating » Seats

Colour & Finish Options

B+G USA Hardwood







Australian Eucalyptus Light Oil

B+G USA Duraslat



Canyon



Outback



Plateau



Summit

B+G USA Powdercoats



Black



Bronze



Carmine Red



Charcoal



Claypot



Core Ten



Deep Ocean



Mangrove



Paper Bark



Pure Orange

Seating » Seats

