
Seating » Stools



Collections: Sorrento











Seating » Stools

Modern bar stool design with contrasting finishes. Battens available in hardwood or Duraslat™ colors and a steel post in powder-coat finishes.

Description

Inspired by the Italian love of modern design, the Sorrento bar stool is as much at home in the public spaces of Chicago as it is on boardwalks of the Mediterranean. The contrasting finishes featured on the bar stool combine to create public spaces that draw the eye and challenge the status quo. Finishes include battens in Australian Eucalyptus hardwood or Duraslat[™] colors that are supported by a steel post and footrest in powder-coat finishes.

Sustainability

Certified Hardwood

Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.

Material Alternatives

We offer sustainable alternatives to hardwood, such as Duraslat™; a mineral-based composite material that contains no Volatile Organic Compounds (VOCs) and is engineered using up to 46% natural filler that is based on a renewable mineral.

Recycled Materials

We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.

Powder Coat

Core

Signature

Bold

Dimensions

Hardwood

 $15"W \times 11"D \times 31"H$

(370mmW x 290mmD x 800mmH)

Duraslat™

15"W x 11"D x 31"H

(370mmW x 290mmD x 790mmH)

Batten Type

Hardwood

Duraslat™

Seating » Stools

Frame	Powder-coated steel
Weight	Hardwood 23lbs (10kg) Duraslat™ 20lbs (9kg)
Made In	USA
Lead Time	6-8 weeks
Assembly & Delivery	Shipped fully assembled on pallets.
Fixing Detail	Surface fixed by others. Anchors not included.
Care Instructions	Hardwood Cleaning Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.
	Oiling Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.
	To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Duraslat™

Cleaning

Clean with mild soap and water and use a soft brush to remove any dirt build-up.

Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

Warranty	5-year warranty. View the <u>warranty</u> for more details.
Additional Comments	Hardwood is treated with a UV-resistant oil finish in a light or dark tone.
How to Specify	Select your batten finish Select your frame finish

Seating » Stools

Colour & Finish Options

B+G USA Hardwood







Australian Eucalyptus Light Oil

B+G USA Duraslat



Canyon



Outback



Plateau



Summit

B+G USA Powdercoats



Black



Bronze



Carmine Red



Charcoal



Claypot



Core Ten



Deep Ocean



Mangrove



Paper Bark



Pure Orange

