


Collections: Connect













Modern, modular, oblong corner bench seating in a small low size with hardwood battens and a steel frame in powder-coat colors.

| Description | Connect oblong corner small low modular bench seating is versatile, durable, and sustainable, making it suitable for a wide range of outdoor or indoor spaces. This can be used as a stand-alone module or paired with the range of 18 seating modules, consisting of geometric shapes, and interlocking elements that can transform any public space into a social hub. Connect features certified Australian Eucalyptus hardwood battens with bullnose edging and a steel frame in VOC-free powder-coat colours that can be customized to suit your project. |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sustainability | Certified Hardwood Australian Eucalyptus hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system. |

Recycled Materials

We locally source our steel. It means we know it uses recycled content and is 100% recyclable.

Low Pollutants

Our powder-coating process doesn't emit VOCs and has Environmental Product Declarations (EPDs) that enable projects to qualify for LEED credits.

| Powder Coat | Core |
|-------------|-----------------------------------------------------------------------------|
| | Signature |
| | Bold |
| Dimensions | 85"W x 85"D x 18"H (2160mmW x 2160mmD x 450mmH) |
| Batten Type | Class 1 + Select Grade Hardwood: Australian Eucalyptus with bullnose edging |
| Frame | Powder-coated steel |
| Weight | 371lbs (168.6kg) |
| Made In | USA |
| Lead Time | 6-8 weeks |

| Assembly & Delivery | Shipped fully assembled on pallets. |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Fixing Detail | Fixed by others. Fix direct to a concrete slab or through pavers and into a concrete slab. |
| | Depending on the location, the seating modules can be placed without them being fixed to a slab. |
| Care Instructions | Hardwood Cleaning Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth. Oiling Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour. |
| | To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required. |
| | Powder-Coat Cleaning Carefully remove any loose surface deposits with a wet sponge or soft bristled brush. |
| | Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water. |
| | Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues. |
| | Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents. |
| Warranty | 5-year warranty. View the <u>warranty</u> for more details. |
| Additional Comments | Hardwood is treated with a UV-resistant oil finish in a light or dark tone. |
| How to Specify | Select your batten finish Select your frame finish |

Colour & Finish Options

B+G USA Hardwood







Australian Eucalyptus Light Oil

B+G USA Powdercoats

